



experience  
more  
together

CFMOTO Australia

[www.cfmoto.com.au](http://www.cfmoto.com.au)

@cfmoto\_australia

@CFMOTOAustralia

@CFMOTOAustralia

\*All CFMOTO quad bike models are stage 2 compliant. Under the legislation, youth quads do not require an OPD and have no minimum tilt angle. Overseas ATV models are shown without a Quadbar OPD. CFMOTO CFORCE and UFORCE models are covered by a factory 2 Year Warranty, CFX and ZFORCE models are covered by a factory 12 Month Warranty.

CFMOTO is distributed in Australia by Mojo Motorcycles. Some models may be shown with optional accessories in the lifestyle images. While Mojo Motorcycles has attempted to make this catalogue as comprehensive and factual as possible, there may be instances where, since the time of printing, information has been updated on products. Please be advised the equipment shown or described in this catalogue may have been changed and/or available at extra cost. Furthermore, Mojo Motorcycles reserves the right to make changes at any time without notice in price, colour, materials, equipment and models. CFMOTO dealers have access to current vehicle information and should be consulted before making decisions on your new CFMOTO vehicle. Warranties offered for CFMOTO products are subject to the conditions set out in all vehicle handbooks and supplement handbooks. Details are also available from CFMOTO upon request. Always wear an approved helmet, eye protection, long-sleeved shirt, trousers, gloves and boots while riding. Published June 2026.

CFMOTO is distributed in Australia by Mojo Motorcycles Pty Ltd | Altona, Victoria, Australia

PROUDLY  
DISTRIBUTED BY



atv utv ssv



## About

### **CFMOTO: Powering the Future of Powersports**

From humble beginnings in 1989 to becoming a global leader in motorcycles and powersports, CFMOTO has earned a reputation for innovation, reliability, and exceptional value. Its diverse product range — including motorcycles, ATVs, UTVs, and high-performance SSVs — is trusted by riders and workers in over 100 countries. In Australia alone, more than 50,000 vehicles have been sold since 2005 through a robust network of over 80 dealers.

### ***“Built tough for Aussie conditions.”***

CFMOTO vehicles are engineered to thrive in Australia’s demanding farming environments — from long days in the paddock to rugged terrain and everyday rural tasks.

Backed by five advanced manufacturing facilities and a global workforce of over 8,000, CFMOTO is China’s largest exporter of ATVs and UTVs. Its technical partnership with KTM and the launch of its electric sub-brand ZEEHO reflect a bold vision for the future — combining cutting-edge design with sustainable urban mobility.

### ***“Innovation driven by real-world feedback.”***

CFMOTO listens to Aussie farmers and riders, using their insights to shape and refine its model range.

In 2025, CFMOTO introduced the UFORCE U6 EV — a pure electric utility vehicle designed for whisper-quiet operation without compromising on power or durability. Ideal for working around livestock, the U6 EV brings a new level of comfort and practicality to rural life.

With a deep understanding of farming needs and a commitment to delivering extraordinary value, CFMOTO is ready to support hard-working Australians with machines that go the distance — petrol or electric, CFMOTO has the right vehicle for the job.

# Brand Ambassadors



## **CFMOTO and All 4 Adventure**

Now in its 17th season, Australia’s No. 1 adventure, fishing and 4x4 show continues to push deeper into some of the country’s most remote terrain. Hosts Jase, Simon and newcomer Mitch will be backed by the rugged CFMOTO U10 PRO HIGHLAND, joining them every step of the journey.

# all terrain vehicles

## ATV

### CFORCE

400  
400 EPS  
520  
520 EPS  
520 EPS HUNT  
625 EPS  
625 EPS TOURING  
850 EPS TOURING  
1000 EPS TOURING  
1000 EPS OVERLAND  
1000 EPS MV

## UTV

### UFORCE

600  
600 EPS  
600 EPS HUNT  
U6 EV  
1000 EPS  
1000 EPS HUNT  
800 EPS XL  
U10 PRO SE  
U10 PRO HUNT  
U10 PRO HIGHLAND  
U10 PRO XL  
U10 PRO HIGHLAND XL

## SSV

### ZFORCE

950 EPS SPORT  
Z10  
Z10-4

## YOUTH

### CFX

CFX-2E  
CFX-5E

### CFORCE

110 SE  
EV110

## SPECS

## CFORCE

Built for the Land, ready for Work.

CFMOTO made its mark in the paddock, and the eleven-model CFORCE ATV range – including the new benchmark-setting 400s, 520, and 625s – is a direct result of that hands-on farming experience. Every CFORCE is built tough, with smart design, durable components, and practical features that help you get more done in less time.

Whether you're fencing, feeding, or just getting around the property, CFORCE ATVs deliver exceptional value for money. With engine sizes from 400cc to 1000cc, there's a model to suit every farm.

Mojo Motorcycles Pty Ltd, the official Australian distributor for CFMOTO, has released an updated quad bike range that meets Stage 2 of the Australian Government's mandatory Consumer Goods (Quad Bike) Safety Standard. Every quad bike listed in this brochure is fully compliant, giving you peace of mind while you work.

For more information on the safety standard, speak with your local CFMOTO dealer or visit [www.cfmoto.com.au](http://www.cfmoto.com.au).

**QUAD BIKE**  
**✓ COMPLIANT**  
**SAFETY STANDARD**

# atv



# hard working



CFORCE  
**400**



### Best value

When it comes to value for money, the CForce 400 stands alone. A 400cc, 4WD ATV loaded with work-ready features and a two-year factory warranty.

- 400cc engine, 31hp
- Selectable 4WD
- Steel wheels
- Steel carrier racks
- 612kg tow capacity



Hunter Green

CFORCE  
**400**  
EPS



### Ultimate work machine

Loaded with all the same features as its CForce 400 workmate, the EPS model adds power steering, alloy wheels and a heavy-duty winch to get even more out of your workday.

- 400cc engine, 31hp
- Power steer
- Selectable 4WD
- Alloy wheels
- 2500lb winch



Lava Orange

# farm favourites



CFORCE  
**520**



## Unbeatable value

Now available in a no-frills package at an unbeatable price for a 500cc ATV. Introducing the C-Force 520, a 495cc, 4WD ATV loaded with work-ready features and a two-year factory warranty.

- 495cc engine, 38hp
- Selectable 4WD
- Steel wheels
- Halogen headlights
- 612kg tow capacity



Hunter Green

CFORCE  
**520**  
EPS



## The Aussie favourite

Out in the paddock, you'll love the C-Force 520 EPS with its bigger 495cc engine. This quad is loaded with extras including power steering, a big 5-inch LCD display, ultra-bright LED headlights, winch, handguards and 12-inch alloy wheels with larger 25-inch rubber.

- 495cc engine, 38hp
- Power steer ● LED headlights
- Alloy wheels ● 2500lb winch
- 5-inch display ● Handguards
- 612kg tow capacity



Magma Red

CFORCE  
**520**  
EPSHUNT



## HUNT edition

The C-Force 520 EPS HUNT is designed to meet the demands of outdoor enthusiasts and hunters alike, including front and rear steel protection bars, rugged HDPE A-Arm guards, and an exclusive Camo colour scheme.

- 495cc engine, 38hp
- HUNT features
- Protector bars front and rear
- HDPE A-arm guards
- 2500lb winch



True Timber  
Kanati

# big single



\*Overseas model shown

## CFMOTO's engineers left no stone unturned when it came to developing the robust CFORCE 625


The CFORCE 625 range delivers premium performance across both models, each powered by a refined 580cc single-cylinder engine. With on-demand 2WD/4WD, independent suspension, heavy-duty racks, and serious towing capability, these ATVs are built for long days on the farm. Comfort, reliability, and versatility — all wrapped in one tough, hardworking ATV package.



### Next generation

CFMOTO's largest capacity, single-cylinder ATV, the CFORCE 625 EPS, has undergone a series of technical updates and refinements, taking the already impressive package to new heights.

- 580cc engine, 45hp
- Two drive modes
- Power steer
- Front and rear diff lock
- 3000lb winch
- 612kg tow capacity




Velocity Grey True Timber Kanati



### Two-up touring

The 625 TOURING comes with all the goodies that its smaller sibling gets, plus a longer wheelbase for two-up riding as well as a pillion backrest with grab handles.

- 580cc engine, 45hp
- Long wheelbase / two seat
- Power steer
- Front and rear diff lock
- 3000lb winch
- 612kg tow capacity



Velocity Grey True Timber Kanati

# v-twin



\*Overseas model shown

## CFORCE 850 EPSTOURING



### Rise beyond challenge

More power, more advanced technology and capability, unbeatable functionality, with an undiluted dose of off-road excitement. CFORCE 850 TOURING.

- 800cc V-twin, 75hp ● CFMOTO CVT
- Power steer ● Hill descent control
- Front and rear diff lock
- Trailing arm rear suspension
- 7-inch display
- 820kg tow capacity



True Timber  
Kanati

## CFORCE 1000 EPSTOURING



### Big V-twin grunt

Same platform as the CFORCE 850 TOURING, armchair-like comfort, big 1000cc V-twin power and loaded with all the gear you'd expect from CFMOTO.

- 963cc V-twin, 90hp ● CFMOTO CVT
- Power steer ● Hill descent control
- Adjustable piggyback gas shocks
- Trailing arm rear suspension
- 7-inch display
- 820kg tow capacity



True Timber  
Kanati

## CFORCE 1000 EPSOVERLAND



### Burger with the lot

The OVERLAND needs no introduction. Loaded with factory-fitted extras including beadlock rims, front & rear protector bars, rack extenders, LED lightbar, an 8mm full-length skid plate, windshield and handguards.

- 963cc V-twin, 85hp ● CFMOTO CVT
- Protector bars front & rear
- HDPE skid plate & alloy front bash plate
- Heated rider seat & grips
- Windscreen & handguards
- LED light bar ● 3000lb winch
- Rack extenders



Desert Tan

## CFORCE 1000 EPS MV




### Dare to play

With its focus on multi-terrain capability, a raised radiator, raised engine / CVT intakes and loads of factory fitted extras, the CFORCE 1000 MV is designed for fun-seekers.

- 963cc V-twin, 90hp ● CFMOTO CVT
- Elevated Radiator
- Colour matched bar work
- MV - Mud Features
- 14-inch beadlock wheels
- 30-inch Mud tyres
- Raised 3500lb winch



Granite Ridge  
with Red



Granite Ridge  
with Titanium Blue



## UFORCE

From sunrise to sundown, the CFMOTO UFORCE range is engineered to meet the rugged demands of Aussie farms, rural properties, and outback operations. With twelve models now in the lineup, there's a UTV for every job — whether it's hauling, towing, fencing, feeding, or simply getting around.

Now, the range opens a new chapter with the UFORCE U6 EV – CFMOTO's first pure electric UTV. Quiet, efficient, and low-maintenance, the U6 EV is ideal for tasks where no fumes and silent operation matter most.

# UTV

# the stronger all-rounder



UFORCE  
**600**



## No-frills utility

A no-frills UTV that offers unbeatable value in CFMOTO's popular UFORCE 600 utility platform. The range now features CFMOTO's new smoother driving, easier working CVT System.

- 580cc engine, 41hp
- CFMOTO CVT
- Two drive modes
- Hill descent control
- 680kg tow capacity
- 250kg rear tray capacity

Twilight Blue

UFORCE  
**600**  
EPS



## The stronger all-rounder

A quantum leap in design, performance, and ergonomics, delivering serious work capability and refined comfort in a handy mid-sized UTV package.

- 580cc engine, 41hp
- CFMOTO CVT
- Power steer
- Alloy wheels
- Limited slip rear differential
- 3500lb winch

Velocity Grey

UFORCE  
**600**  
EPSHUNT



## HUNT edition

Loaded with plenty of extras to enjoy the great outdoors, including camouflage wrap, dual snorkel kit, front protector bar, side and rear bars, and a half windscreen.

- 580cc engine, 41hp
- CFMOTO CVT
- Dual snorkel kit
- Front, rear and side bars
- Half windscreen
- 3500lb winch

True Timber  
Kanati

# pure electric



## CFMOTO is proud to present its first pure electric UTV.

Purpose-built for farming, council operations, commercial use, and even off-grid living. It's not just about going electric; it's about transforming the way you work. With silent operation, zero emissions, and minimal vibration, the U6 EV delivers a whole new level of comfort and control. Whether you're working around livestock, maintaining public spaces, or navigating remote properties, the silence means less stress, less disturbance, and more focus.

No noise. No fuss. Just dependable electric power.

Designed with the same rugged DNA as CFMOTO's petrol-powered workhorses, the UFORCE U6 EV doesn't compromise on capability.

^Up to 110km on a single charge: achieves a range of up to 110km at a constant speed of 30-40 km/h after a full charge, under temperatures of 20-25°C.

~Estimated charge time of 6.5 hours from 0-100% (15Amp charger under ideal conditions), 10 hours from 0-100% (8Amp charger under ideal conditions).

### U6 EV



### Pure electric

Designed to deliver robust performance, reliability, and practicality – all in one great value CFMOTO package.

- Up to 110km range<sup>^</sup>
- 80km/h top speed
- 800kg tow capacity
- Estimated 6.5hr charge time<sup>~</sup>
- 2 Yr Vehicle Warranty / 5 Yr Power Battery Warranty

■ Metallic Grey

# work ready



\*Overseas model shown

UFORCE  
**1000**  
EPS



## Real world. Work ready.

Setting the Standard - Legendary for its power, comfort, and capability, the UFORCE 1000 EPS paved the way for the UFORCE range. A proven performer that redefined what a farm-ready UTV should be.

- 963cc V-twin, 71hp
- Power steer
- Hill descent control
- Limited slip rear differential
- 800kg tow capacity
- 350kg rear tray capacity

Twilight Blue

UFORCE  
**1000**  
EPSHUNT



## Gear up

The UFORCE 1000 HUNT Edition is ready to go straight out of the box. Loaded with gear including camo colour scheme, a front protector bar, bonnet rack, a 3500lb winch and alloy A-Arm guards.

- 963cc V-twin, 71hp
- Power steer
- Hill descent control
- Limited slip rear differential
- Front bar, bonnet rack
- 3500lb winch
- A-arm guards



True Timber  
Kanati

# middleweight XL



## The UFORCE 800 EPS XL is CFMOTO's middleweight XL model.

Based on the popular UFORCE 600 platform, the chassis has been extended and beefed up – including new suspension, steering components and greater ground clearance to accommodate the longer wheelbase. The result is a new mid-sized 4-seater UTV powered by CFMOTO's 800cc V-twin engine and featuring an all-new CFMOTO CVT for smoother driving, easier working.

UFORCE  
**800**  
EPSXL



### Middleweight XL

A new mid-sized 4-seater UTV powered by CFMOTO's proven 800cc V-twin engine. With extra cabin space, added power, and real-world versatility, it's built to get more done with every run.

- 800cc V-twin, 63hp
- Long wheelbase four-seater
- CFMOTO CVT
- 680kg tow capacity
- 300kg cargo tray capacity
- 4500lb winch

Twilight Blue

# dynamic duo, now a terrific trio



**Bigger.  
Bolder.  
More advanced.  
And further  
refined.**

The U10 PRO range redefines what a top-tier full-size UTV can be, launching a bold new era for the UFORCE family—now offered in three distinct models.

More powerful, more capable, and more advanced than ever, the U10 PRO lineup introduces an all-new, tech-appointed cabin engineered for a quieter and more comfortable ride. Its elevated exterior design and extensive suite of standard features set a new benchmark—built to excel on the job and elevate every adventure.

## U10 PRO<sup>SE</sup>



### U10 PRO SE

A new leader in full-size UTV capability. With more power, more smarts, and trusted CFMOTO durability. A smarter choice for farmers wanting modern utility without the premium price tag.

- 90hp, 3-cylinder VVT engine
- CFMOTO CVT
- E-SHIFT push button automatic
- 1134kg tow capacity
- 454kg cargo tray capacity

Forest Green

## U10 PRO HUNT



### HUNT edition

The ultimate outdoor companion, blending rugged capability with purpose-built features for hunters and explorers alike. Perfect for those who demand more than just a workhorse.

- 90hp, 3-cylinder VVT engine
- CFMOTO CVT
- E-SHIFT push button automatic
- Half doors
- Front, rear and side bars
- Power tilt cargo tray
- In cabin sound system

True Timber  
Kanati

## U10 PRO HIGHLAND



### Premium HIGHLAND

Fully equipped for a premium CFMOTO experience. Full-cab design, combined with integrated heating and air-con (HVAC), delivers all-season comfort and confidence—keeping you productive and protected day in, day out.

- Premium fully enclosed HIGHLAND cabin
- Electric tilt-up glass windscreen
- Wiper & washer system
- Doors with powered glass windows
- Heating & Air-con (HVAC System)
- Power tilt cargo tray
- In cabin sound system

Bordeaux Red

# room for more



\*Overseas model shown

## The ultimate UTV for serious operators who simply demand more.

The UFORCE U10 PRO XL builds on the popular U10 PRO platform with a powerful 3-cylinder engine and plenty of room to carry your crew of six. It delivers serious capability, comfort, and control – the ultimate choice for operators who simply need to carry more.

The U10 PRO HIGHLAND XL takes it further, adding full weather protection and enhanced durability for Australia's toughest conditions. As CFMOTO's flagship UTV, it comes with the lot and delivers exceptional value for those who demand the best.

## U10 PRO<sup>XL</sup>



### Time to go PRO

The U10 PRO XL takes everything from the U10 PRO and simply scales it up. With a powerful 3-cylinder engine, expanded cabin space with room for six, and premium refinement, it's the ultimate UTV for serious operators who simply demand more.

- 90hp, 3-cylinder VVT engine
- Long wheelbase six-seater
- CFMOTO CVT
- 1134kg tow capacity
- 454kg cargo tray capacity
- Hydraulic power tilt cargo tray
- In cabin sound system

Forest Green

## U10 PRO<sup>XL</sup> HIGHLAND



### Take the crew out in style

U10 PRO HIGHLAND XL, loaded with premium features, including a full-cabin for six, HVAC system with heating and air-con for a truly first-class experience.

- Long wheelbase six-seater
- Premium fully enclosed HIGHLAND cabin
- Electric tilt-up glass windscreen
- Wiper & washer system
- Doors with powered glass windows
- Heating & Air-con (HVAC System)
- Hydraulic power tilt cargo tray
- In cabin sound system

Bordeaux Red

## ZFORCE

Life's not all about hard yakka, and the bold and brawny CFMOTO ZFORCE sports-by-side (SSV) vehicles are the titans of adventure – without breaking the bank. The 950 SPORT is the ultimate fusion of performance, versatility, and agility: this high-performing machine delivers a dynamic driving experience in its own right. Or take a closer look at the all-new Z10 and Z10-4 range with turbocharged triple cylinder fun!

# SSV



# more fun



ZFORCE  
**950**  
EPSSPORT



## Dynamic evolution

ZFORCE 950 SPORT. The ultimate fusion of performance, versatility, and agility. Packed with more power, longer suspension and boosted capacities, this SSV is prepared to conquer any challenge.

- 963cc V-twin, 85hp
- Two drive modes
- Dual mode power steer
- 3500lb winch

Magma Red

**Z10**



## The wait is over

The all-new ZFORCE Z10 has arrived—our most aggressive and most advanced sports SSV ever. This machine isn't just built to perform; it's built to dominate.

- Turbo 998cc triple / 154hp / 145Nm
- FOX® QSE suspension
- 4 mode power steering (EPS)
- 12.3" MMI CarPlay + backup camera
- 30-inch AT tyres
- Black 5-spoke sports alloy wheels
- 4500lb winch

Lava Orange

Nebula Black

**Z10**<sub>4</sub>



## Born for the extreme

Off-roading isn't just a hobby—it's a lifestyle. It's a connection between driver and machine, forged across wild landscapes and punishing terrain. The Z10-4 embodies that spirit—now with room for four to share every moment.

- Turbo 998cc triple / 154hp / 145Nm
- FOX® QSE suspension
- 4 mode power steering (EPS)
- 12.3" MMI CarPlay + backup camera
- 30-inch AT tyres
- Black 5-spoke sports alloy wheels
- Long wheelbase 4-seater
- 4500lb winch

Lava Orange

Nebula Black

## YOUTH

CFMOTO proudly presents its YOUTH range of fun bikes and fun ATVs designed specifically for the next generation of adventurous riders. Engineered to ignite the spirit of exploration and adrenaline in the hearts of our youth. With cutting-edge technology, striking design, and uncompromising performance, the CFX and CFORCE 110 series redefine the youth riding experience, providing an exhilarating gateway to off-road adventures like never before.

# youth



# power meets play

EV  
CFMOTO  
ELECTRIC VEHICLE

CFMOTO



CFX-2E



## The perfect first ride

Welcome to the future of fun and safe riding with the CFMOTO CFX-2E – CFMOTO's second-generation electric minibike designed to ignite a lifelong passion for motorcycling. Perfect for kids to take their first steps in the world of two wheels – safe simple and above all, fun!

- Electric - Perfect for beginners
- Recommended age 6-10
- 3-level speed modes
- 15km/h beginner mode
- 60km/80min run time
- 50km/h top speed

Zephyr Blue

CFX-5E



## Power meets play

Introducing the larger CFX-5E, CFMOTO's performance-focused electric minibike designed for confident young riders aged 10 and up. Engineered to tackle rugged terrain and deliver adrenaline-pumping fun, the CFX-5E is the ultimate step up for kids ready to graduate from beginner bikes to full-fledged off-road adventures.

- Electric - Built for bigger thrills
- Recommended age 10+
- 2kW rated / 4kW peak output
- 3-level speed modes & reverse gear
- 16km/h beginner mode
- 100km/160min run time
- 70km/h top speed

Zephyr Blue

# kids corner



CFORCE  
**110**<sup>SE</sup>



## Time to A-T-V

Built on the trusted CFORCE 110 platform, this YOUTH ATV offers exceptional value, making it an ideal choice for parents and riders seeking a fun, reliable, and affordable youth sports quad.

- 110cc, EFI engine
- Electric start
- Recommended Age: 10
- 6.4-litre
- 2WD
- Hydraulic disc brakes
- Adjustable speed limiter

Baja Blue


CFORCE  
**EV 110**



## A Force unleashed!

CFMOTO is leading the way for the next generation of riders with an all-electric youth ATV that is set to change the game forever. This advanced, sports-orientated ATV has an easy-to-ride nature that promotes a safe way for youngsters to develop their riding skills further.

- Electric - YOUTH ATV
- Recommended age 10
- 45km/h top speed
- 60km/180 min run time



White & Lemon Green



White & Lava Orange



## Total care

There's something magical about buying a brand new CFMOTO – whether it's the first purchase or your 10th.

Regardless of the circumstances, picking up a brand spanking new CFMOTO is a wonderful feeling.

Owning a CFMOTO is an amazing experience, and one of the best ways to ensure the good times continue is with a regular service and maintenance routine. Trust us: your CFMOTO will thank you for it!



## Parts & accessories

Genuine parts and accessories are tailor-made for your ATV, UTV or SSV, and it's no different with CFMOTO. What is removed is returned with a perfect match, and the accessories have been manufactured to account for every nuance of your model to enhance your CFMOTO even more.

And, of course, genuine CFMOTO parts and accessories come with the highest level of quality controls, so you know you're getting the best.

## Shop CFMOTO

Parts and accessories are available from our on-line shop 24-7, but the best place to get wise counsel is from your local CFMOTO dealer.

Your authorised CFMOTO dealer can also help you with that vital, final piece of the ownership matrix – ensuring your vehicle is serviced in accordance with manufacturer guidelines.



SCAN to visit CFMOTO's online store.

atv

CFORCE 400

CFORCE 520

CFORCE 625



CFORCE 400



CFORCE 400 EPS



CFORCE 520



CFORCE 520 EPS



CFORCE 520 EPS HUNT



CFORCE 625 EPS



CFORCE 625 EPS TOURING

<b>Engine Type</b>	Single-cylinder, four-stroke, liquid-cooled	Single-cylinder, four-stroke, liquid-cooled	Single-cylinder, four-stroke, liquid-cooled	Single-cylinder, four-stroke, liquid-cooled	Single-cylinder, four-stroke, liquid-cooled	Single-cylinder, four-stroke, liquid-cooled	Single-cylinder, four-stroke, liquid-cooled
<b>Displacement</b>	400cc	400cc	495cc	495cc	495cc	580cc	580cc
<b>Max Power</b>	31hp at 7,200rpm	31hp at 7,200rpm	38hp at 6,250rpm	38hp at 6,250rpm	38hp at 6,250rpm	45hp at 6,500rpm	45hp at 6,500rpm
<b>Max Torque</b>	33Nm at 6,000rpm	33Nm at 6,000rpm	40Nm at 6,000rpm	40Nm at 6,000rpm	40Nm at 6,000rpm	51Nm at 6,000rpm	51Nm at 6,000rpm
<b>Fuel System</b>	BOSCH® EFI	BOSCH® EFI	BOSCH® EFI	BOSCH® EFI	BOSCH® EFI	BOSCH® EFI with two drive modes	BOSCH® EFI with two drive modes
<b>Transmission</b>	CVT	CVT	CVT	CVT	CVT	CVT	CVT
<b>Drive</b>	H-L-N-R-Park + Handbrake	H-L-N-R-Park + Handbrake	H-L-N-R-Park + Handbrake	H-L-N-R-Park + Handbrake	H-L-N-R-Park + Handbrake	H-L-N-R-Park + Handbrake	H-L-N-R-Park + Handbrake
<b>4WD</b>	2WD/4WD with locking front differential	2WD/4WD with locking front differential	2WD/4WD with locking front differential	2WD/4WD with locking front differential	2WD/4WD with locking front differential	2WD/4WD with locking front differential	2WD/4WD with locking front differential
<b>Rear Differential</b>	Fixed	Fixed	Fixed	Fixed	Fixed	Open with locking rear differential	Open with locking rear differential
<b>Steering</b>	-	Electronic Power Steering (EPS)	-	Electronic Power Steering (EPS)	Electronic Power Steering (EPS)	Electronic Power Steering (EPS)	Electronic Power Steering (EPS)
<b>Suspension</b>	Double A-arm	Double A-arm	Double A-arm	Double A-arm	Double A-arm	Double A-arm	Double A-arm
<b>Brakes</b>	Hydraulic disc	Hydraulic disc	Hydraulic disc	Hydraulic disc	Hydraulic disc	Hydraulic disc	Hydraulic disc
<b>Wheels</b>	12-inch steel	12-inch alloy	12-inch steel	12-inch alloy	12-inch alloy	12-inch alloy	12-inch alloy
<b>Tyres</b>	24-inch CST, 6-ply rating	24-inch CST, 6-ply rating	25-inch CST, 6-ply rating	25-inch CST, 6-ply rating	25-inch CST, 6-ply rating	25-inch CST, 6-ply rating	25-inch CST, 6-ply rating
<b>L x W x H</b>	2,186 x 1,125 x 1,150mm	2,186 x 1,125 x 1,150mm	2,186 x 1,125 x 1,162mm	2,186 x 1,125 x 1,162mm	2,186 x 1,125 x 1,162mm	2,035 x 1,180 x 1,220mm	2,235 x 1,180 x 1,220mm
<b>Wheelbase</b>	1,260mm	1,260mm	1,260mm	1,260mm	1,260mm	1,280mm	1,480mm
<b>Ground Clearance</b>	254mm	254mm	262mm	262mm	262mm	270mm	270mm
<b>Wet Weight</b>	332kg	332kg	351kg	351kg	351kg	395kg	415kg
<b>Towing Capacity</b>	612kg	612kg	612kg	612kg	612kg	612kg	612kg
<b>Carry Capacity</b>	30kg / 60kg (front/rear)	30kg / 60kg (front/rear)	30kg / 60kg (front/rear)	30kg / 60kg (front/rear)	30kg / 60kg (front/rear)	30kg / 60kg (front/rear)	30kg / 60kg (front/rear)
<b>Fuel Capacity</b>	17 L	17 L	17 L	17 L	17 L	18 L	18 L
<b>Person</b>	1	1	1	1	1	1	2
<b>Winch</b>	-	2,500lb	-	2,500lb	2,500lb	3,000lb	3,000lb
<b>Colour</b>	Hunter Green	Lava Orange	Hunter Green	Force Red	Camouflage	Velocity Grey or Camouflage	Velocity Grey or Camouflage
<b>Warranty</b>	2 year	2 year	2 year	2 year	2 year	2 year	2 year

Specification



experience more together

atv

CFORCE 850

CFORCE 1000



CFORCE 850 EPS TOURING



CFORCE 1000 EPS TOURING



CFORCE 1000 EPS OVERLAND



CFORCE 1000 EPS MY

Engine Type	V-twin, four-stroke Liquid-cooled	V-twin, four-stroke Liquid-cooled	V-twin, four-stroke Liquid-cooled	V-twin, four-stroke Liquid-cooled
Displacement	800cc	963cc	963cc	963cc
Max Power	75hp at 7,500rpm	90hp at 7,500rpm	85hp at 7,500rpm	90hp at 7,500rpm
Max Torque	70Nm at 5,500rpm	88Nm at 5,500rpm	85Nm at 5,500rpm	85Nm at 5,500rpm
Fuel System	BOSCH® EFI with three power modes	BOSCH® EFI with three power modes	BOSCH® EFI with three power modes	BOSCH® EFI with three power modes
Transmission	CFMOTO CVT	CFMOTO CVT	CFMOTO CVT	CFMOTO CVT
Drive	H-L-N-R-Park	H-L-N-R-Park	H-L-N-R-Park	H-L-N-R-Park
4WD	2WD/4WD with locking front differential	2WD/4WD with locking front differential	2WD/4WD with locking front differential	2WD/4WD with locking front differential
Rear Differential	Open with locking rear differential	Open with locking rear differential	Limited Slip Differential (LSD)	Limited Slip Differential (LSD)
Steering	Adjustable three level Electronic Power Steering (EPS)	Adjustable three level Electronic Power Steering (EPS)	Adjustable three level Electronic Power Steering (EPS)	Adjustable three level Electronic Power Steering (EPS)
Suspension	FRONT: Double A-arm REAR: Trailing arm	FRONT: Double A-arm REAR: Trailing arm	FRONT: Double A-arm REAR: Trailing arm	FRONT: Double A-arm REAR: Trailing arm
Brakes	Hydraulic disc	Hydraulic disc	Hydraulic disc	Hydraulic disc
Wheels	14-inch alloy	14-inch alloy	14-inch alloy, 16 bolt beadlock	14-inch alloy, 16 bolt beadlock
Tyres	26-inch CST, 6-ply rating	27-inch CST, 6-ply rating	27-inch CST, 6-ply rating	30-inch CST, mud tyres
L x W x H	2,445 x 1,264 x 1,450mm	2,445 x 1,282 x 1,465mm	2,435 x 1,282 x 1,465mm	2,491 x 1,370 x 1,390mm
Wheelbase	1,480mm	1,480mm	1,480mm	1,480mm
Ground Clearance	285mm	305mm	300mm	334mm
Wet Weight	465kg	472kg	518kg	522kg
Towing Capacity	820kg	820kg	800kg	820kg
Carry Capacity	45kg / 90kg (front/rear)	45kg / 90kg (front/rear)	45kg / 90kg (front/rear)	45kg / 90kg (front/rear)
Fuel Capacity	26 L	26 L	26 L	26 L
Person	2	2	2	1
Winch	3,500lb	3,500lb	3,500lb	3,500lb
Colour	True Timber Kanati (Camo)	True Timber Kanati (Camo)	Desert Tan	Granite Ridge/Red or Titanium Blue

Specification



experience more together



# utv

## UFORCE 600



**UFORCE 600**  
EPS



**UFORCE 600**  
EPS



**UFORCE 600**  
EPSHUNT



**U6 EV**

<b>Engine/Motor Type</b>	Single-cylinder, four-stroke, liquid-cooled	Single-cylinder, four-stroke, liquid-cooled	Single-cylinder, four-stroke, liquid-cooled
<b>Displacement</b>	580cc	580cc	580cc
<b>Max Power</b>	41hp at 6,250rpm	41hp at 6,250rpm	41hp at 6,250rpm
<b>Max Torque</b>	46Nm at 4,750rpm	46Nm at 4,750rpm	46Nm at 4,750rpm
<b>Fuel System/Battery</b>	BOSCH® EFI - two drive modes	BOSCH® EFI - two drive modes	BOSCH® EFI - two drive modes
<b>Transmission</b>	CFMOTO CVT Electronic hill descent control	CFMOTO CVT Electronic hill descent control	CFMOTO CVT Electronic hill descent control
<b>Drive</b>	H-L-N-R-Park + Handbrake	H-L-N-R-Park + Handbrake	H-L-N-R-Park + Handbrake
<b>4WD</b>	2WD/4WD, locking front differential	2WD/4WD, locking front differential	2WD/4WD, locking front differential
<b>Rear Differential</b>	Fixed	Limited Slip Differential (LSD)	Limited Slip Differential (LSD)
<b>Steering</b>	-	Electronic Power Steering (EPS)	Electronic Power Steering (EPS)
<b>Suspension</b>	Double A-arm	Double A-arm	Double A-arm
<b>Brakes</b>	Hydraulic disc	Hydraulic disc	Hydraulic disc
<b>Wheels</b>	12-inch steel	12-inch alloy	12-inch alloy
<b>Tyres</b>	25-inch INNOVA, 6-ply rating	25-inch INNOVA, 6-ply rating	25-inch INNOVA, 6-ply rating
<b>L x W x H</b>	2,820 x 1,470 x 1,950mm	2,820 x 1,470 x 1,950mm	2,820 x 1,470 x 1,950mm
<b>Wheelbase</b>	1,950mm	1,950mm	1,950mm
<b>Ground Clearance</b>	270mm	270mm	270mm
<b>Wet Weight</b>	640kg	640kg	640kg
<b>Towing Capacity</b>	680kg	690kg	710kg
<b>Tray Capacity</b>	250kg	250kg	250kg
<b>Cargo tray Size</b>	1,300 x 870 x 275mm	1,300 x 870 x 275mm	1,300 x 870 x 275mm
<b>Fuel Capacity / Range</b>	35 L	35 L	35 L
<b>Roll Cage</b>	ROPS-approved	ROPS-approved	ROPS-approved
<b>Person</b>	2	2	2
<b>Winch</b>	-	3,500lb	3,500lb
<b>Colour</b>	Twilight Blue	Velocity Grey	True Timber Kanati (Camo)
<b>Warranty</b>	2 year	2 year	2 year

^Up to 110km on a single charge; achieves a range of up to 110km at a constant speed of 30-40 km/h after a full charge, under temperatures of 20-25°C. -Estimated charge time of 6.5 hours from 0-100% (15Amp charger under ideal conditions), 10 hours from 0-100% (8Amp charger under ideal conditions).

## EV

<b>Engine Type</b>	Permanent magnet synchronous motor
<b>Displacement</b>	-
<b>Max Power</b>	46.9hp (35kW)
<b>Max Torque</b>	74Nm
<b>Fuel System</b>	Lithium-Ion, 15.2kWh Nominal, with BMS
<b>Transmission</b>	Electronic hill ascent and descent control
<b>Drive</b>	D-N-R-Park
<b>4WD</b>	2WD/AWD/4WD, locking front differential & Turf R-Lock
<b>Rear Differential</b>	Open with locking rear differential
<b>Steering</b>	Electronic Power Steering (EPS)
<b>Suspension</b>	Double A-arm
<b>Brakes</b>	Hydraulic disc, kinetic energy recovery, adjustable
<b>Wheels</b>	12-inch alloy
<b>Tyres</b>	25-inch, ARISUN MILL-S 6-ply low rolling resistant tyre
<b>L x W x H</b>	2,925 x 1,490 x 1,950mm
<b>Wheelbase</b>	1,950mm
<b>Ground Clearance</b>	270mm
<b>Wet Weight</b>	680kg
<b>Towing Capacity</b>	800kg
<b>Carry Capacity</b>	250kg
<b>Cargo tray Size</b>	1,300 x 870 x 275mm
<b>Fuel Capacity</b>	Up to 110km (ideal conditions)
<b>Roll Cage</b>	ROPS-approved
<b>Person</b>	2
<b>Winch</b>	3,500lb
<b>Colour</b>	Metallic Grey
<b>Warranty</b>	2 Year Vehicle Warranty / 5 Year Power Battery Warranty

# utv

## UFORCE 800



**UFORCE 800**  
EPSXL

<b>Engine Type</b>	V-twin, four-stroke Liquid-cooled
<b>Displacement</b>	800cc
<b>Max Power</b>	63hp at 7,000rpm
<b>Max Torque</b>	69.8Nm at 5,500rpm
<b>Fuel System</b>	BOSCH® EFI - two drive modes
<b>Transmission</b>	CFMOTO CVT Electronic hill descent control
<b>Drive</b>	H-L-N-R-Park
<b>4WD</b>	2WD/4WD, locking front differential
<b>Rear Differential</b>	Fixed
<b>Steering</b>	Electronic Power Steering (EPS)
<b>Suspension</b>	Double A-arm
<b>Brakes</b>	Hydraulic disc
<b>Wheels</b>	14-inch alloy
<b>Tyres</b>	27-inch CST, 8-ply rating
<b>L x W x H</b>	3,640 x 1,525 x 2007mm
<b>Wheelbase</b>	2,770mm
<b>Ground Clearance</b>	300mm
<b>Wet Weight</b>	775kg
<b>Towing Capacity</b>	680kg
<b>Carry Capacity</b>	300 kg (rear tray)
<b>Cargo tray Size</b>	870 x 1300 x 275mm
<b>Fuel Capacity</b>	40 L
<b>Roll Cage</b>	ROPS-approved
<b>Person</b>	4
<b>Winch</b>	Yes, 4,500lb
<b>Colour</b>	Twilight Blue
<b>Warranty</b>	2 year

## UFORCE 1000



**UFORCE 1000**  
EPS



**UFORCE 1000**  
EPSHUNT

<b>Engine Type</b>	V-twin, four-stroke Liquid-cooled	V-twin, four-stroke Liquid-cooled
<b>Displacement</b>	963cc	963cc
<b>Max Power</b>	71hp at 7,000rpm	71hp at 7,000rpm
<b>Max Torque</b>	74Nm at 6,500rpm	74Nm at 6,500rpm
<b>Fuel System</b>	BOSCH® EFI - two drive modes	BOSCH® EFI - two drive modes
<b>Transmission</b>	CVT Electronic hill descent control	CVT Electronic hill descent control
<b>Drive</b>	H-L-N-R-Park + Handbrake	H-L-N-R-Park + Handbrake
<b>4WD</b>	2WD/4WD, locking front differential	2WD/4WD, locking front differential
<b>Rear Differential</b>	Limited Slip Differential (LSD)	Limited Slip Differential (LSD)
<b>Steering</b>	Electronic Power Steering (EPS)	Electronic Power Steering (EPS)
<b>Suspension</b>	Double A-arm	Double A-arm
<b>Brakes</b>	Hydraulic disc	Hydraulic disc
<b>Wheels</b>	14-inch alloy	14-inch alloy
<b>Tyres</b>	27-inch CST, 8-ply rating	27-inch CST, 8-ply rating
<b>L x W x H</b>	2,945 x 1,615 x 1,850mm	3,045 x 1,615 x 1,850mm
<b>Wheelbase</b>	2,050mm	2,050mm
<b>Ground Clearance</b>	280mm	280mm
<b>Wet Weight</b>	690kg	730kg
<b>Towing Capacity</b>	800kg	800kg
<b>Carry Capacity</b>	350 kg (rear tray)	350 kg (rear tray)
<b>Cargo tray Size</b>	1420 x 865 x 290mm	1420 x 865 x 290mm
<b>Fuel Capacity</b>	40 L	40 L
<b>Roll Cage</b>	ROPS-approved	ROPS-approved
<b>Person</b>	3	3
<b>Winch</b>	-	Yes, 3,500lb
<b>Colour</b>	Twilight Blue	Camouflage
<b>Warranty</b>	2 year	2 year



experience  
more  
together

# Specification



# utv

## U10 PRO



**U10 PRO**



**U10 PRO HUNT**



**U10 PRO HIGHLAND**

<b>Engine Type</b>	3-cylinder with variable valve timing (VVT)	3-cylinder with variable valve timing (VVT)	3-cylinder with variable valve timing (VVT)
<b>Displacement</b>	998cc	998cc	998cc
<b>Max Power</b>	90hp at 7,000rpm	90hp at 7,000rpm	90hp at 7,000rpm
<b>Max Torque</b>	94.5Nm at 6,500rpm	94.5Nm at 6,500rpm	94.5Nm at 6,500rpm
<b>Fuel System</b>	BOSCH® EFI - two drive modes	BOSCH® EFI - two drive modes	BOSCH® EFI - two drive modes
<b>Transmission</b>	CFMOTO CVT Electronic hill descent control	CFMOTO CVT Electronic hill descent control	CFMOTO CVT Electronic hill descent control
<b>Drive</b>	E-SHIFT, push button auto Electric park brake with AUTOHOLD	E-SHIFT, push button auto Electric park brake with AUTOHOLD	E-SHIFT, push button auto Electric park brake with AUTOHOLD
<b>4WD</b>	2WD/4WD with locking front differential	2WD/4WD with locking front differential	2WD/4WD with locking front differential
<b>Rear Differential</b>	Open with locking rear differential	Open with locking rear differential	Open with locking rear differential
<b>Steering</b>	Progressive Power Steering	Progressive Power Steering	Progressive Power Steering
<b>Suspension</b>	Double A-arm with swaybar	Double A-arm with swaybar	Double A-arm with swaybar
<b>Brakes</b>	Hydraulic disc	Hydraulic disc	Hydraulic disc
<b>Wheels</b>	14-inch alloy	14-inch alloy	14-inch alloy
<b>Tyres</b>	29-inch, 8-ply rating	29-inch, 8-ply rating	29-inch, 8-ply rating
<b>L x W x H</b>	2,950 x 1,625 x 1,945mm	2,980 x 1,625 x 1,945 mm	2,950 x 1,625 x 1,945 mm
<b>Wheelbase</b>	2,060mm	2,060mm	2,060mm
<b>Ground Clearance</b>	330mm	330mm	330mm
<b>Wet Weight</b>	835kg	915kg	938kg
<b>Towing Capacity</b>	1,134kg	1,134kg	1,134kg
<b>Tray Capacity</b>	454kg	454kg with power tilt cargo tray	454kg with power tilt cargo tray
<b>Cargo tray Size</b>	865 x 1,340 x 290mm	865 x 1,340 x 290mm	865 x 1,340 x 290mm
<b>Fuel Capacity</b>	45 L	45 L	45 L
<b>Roll Cage</b>	ROPS-approved	ROPS-approved	ROPS-approved
<b>Person</b>	3	3	3
<b>Winch</b>	4,500lb	4,500lb	4,500lb
<b>Colour</b>	Forest Green	True Timber Kanati (Camo)	Bordeaux Red
<b>Warranty</b>	2 year	2 year	2 year



# utv

## U10 PRO XL



**U10 PRO XL**



**U10 PRO XL HIGHLAND**

<b>Engine Type</b>	3-cylinder with variable valve timing (VVT)	3-cylinder with variable valve timing (VVT)
<b>Displacement</b>	998cc	998cc
<b>Max Power</b>	90hp at 7,000rpm	90hp at 7,000rpm
<b>Max Torque</b>	94.5Nm at 6,500rpm	94.5Nm at 6,500rpm
<b>Fuel System</b>	BOSCH® EFI - two drive modes	BOSCH® EFI - two drive modes
<b>Transmission</b>	CFMOTO CVT Electronic hill descent control	CFMOTO CVT Electronic hill descent control
<b>Drive</b>	E-SHIFT, push button auto Electric park brake with AUTOHOLD	E-SHIFT, push button auto Electric park brake with AUTOHOLD
<b>4WD</b>	2WD/4WD with locking front differential	2WD/4WD with locking front differential
<b>Rear Differential</b>	Open with locking rear differential	Open with locking rear differential
<b>Steering</b>	Progressive Power Steering	Progressive Power Steering
<b>Suspension</b>	Double A-arm with swaybar	Double A-arm with swaybar
<b>Brakes</b>	Hydraulic disc	Hydraulic disc
<b>Wheels</b>	14-inch alloy	14-inch alloy
<b>Tyres</b>	29-inch, 8-ply rating	29-inch, 8-ply rating
<b>L x W x H</b>	3,750 x 1,625 x 1,945mm	3,750 x 1,625 x 1,945mm
<b>Wheelbase</b>	2,860mm	2,860mm
<b>Ground Clearance</b>	330mm	330mm
<b>Wet Weight</b>	968kg	1125 kg
<b>Towing Capacity</b>	1,134kg	1,134kg
<b>Tray Capacity</b>	454kg with power tilt cargo tray	454kg with power tilt cargo tray
<b>Cargo tray Size</b>	865 x 1,340 x 290mm	865 x 1,340 x 290mm
<b>Fuel Capacity</b>	45 L	45 L
<b>Roll Cage</b>	ROPS-approved	ROPS-approved
<b>Person</b>	6	6
<b>Winch</b>	4,500lb	4,500lb
<b>Colour</b>	Forest Green	Bordeaux Red
<b>Warranty</b>	2 year	2 year



experience  
more  
together

# Specification

# SSV

## ZFORCE



**ZFORCE 950 EPS SPORT**



**Z10**



**Z10 4**

<b>Engine Type</b>	Liquid-cooled, four-stroke V-twin with EFI	Turbocharged 3-cylinder, 4-stroke, liquid-cooled, DOHC	Turbocharged 3-cylinder, 4-stroke, liquid-cooled, DOHC
<b>Displacement</b>	963cc	998cc	998cc
<b>Max Power</b>	85hp at 7,500rpm	154hp at 7,750rpm	154hp at 7,750rpm
<b>Max Torque</b>	87Nm at 5,500rpm	145Nm at 7,000rpm	145Nm at 7,000rpm
<b>Fuel System</b>	BOSCH® EFI - two drive modes	BOSCH® EFI - three drive modes	BOSCH® EFI - three drive modes
<b>Transmission</b>	CVT	CVT	CVT
<b>Drive</b>	H-L-N-R-Park	H-L-N-R-Park	H-L-N-R-Park
<b>4WD</b>	2WD/AWD/4WD with locking front differential	2WD/AWD/4WD with locking front differential	2WD/4WD with locking front differential
<b>Rear Differential</b>	Fixed	Fixed	Fixed
<b>Steering</b>	Dual mode Electronic Power Steering (EPS)	4-Mode Progressive Power Steering (EPS)	4-Mode Progressive Power Steering (EPS)
<b>Suspension</b>	FRONT: Double A-arm, 307mm of travel REAR: Double A-arm, 334mm of travel	FRONT: Double A-arm independent, 430mm of travel REAR: Trailing arm independent, 508mm of travel	FRONT: Double A-arm independent, 430mm of travel REAR: Trailing arm independent, 508mm of travel
<b>Shocks</b>	Gas coilover shocks with adjustable compression and rebound damping	FOX® QSE shocks with three adjustable suspension modes: Soft, Medium, Firm	FOX® QSE shocks with three adjustable suspension modes: Soft, Medium, Firm
<b>Brakes</b>	Hydraulic disc	Hydraulic disc	Hydraulic disc
<b>Wheels</b>	14-inch alloy	14-inch 5-spoke sports alloy wheel	14-inch 5-spoke sports alloy wheel
<b>Tyres</b>	27-inch CST, 6-ply rating	30-inch AT tyre	30-inch AT tyre
<b>L x W x H</b>	3065 x 1524 x 1870mm	3,277 x 1,625 x 1,740mm	4,039 x 1,625 x 1,740mm
<b>Wheelbase</b>	2286mm	2,515mm	3,277mm
<b>Ground Clearance</b>	305mm	356mm	356mm
<b>Weight</b>	675kg	862kg	977kg
<b>Payload Capacity</b>	315kg	295kg	400kg
<b>Fuel Capacity</b>	37 L	45 L	45 L
<b>Roll Cage</b>	ROPS-approved	ROPS-approved	ROPS-approved
<b>Person</b>	2	2	4
<b>Winch</b>	3,500lb	4,500lb	4,500lb
<b>Colour</b>	Magma Red	Lava Orange or Nebula Black	Lava Orange or Nebula Black
<b>Warranty</b>	12 month	12 month	12 month



experience  
more  
together

## CFX RANGE

## CFORCE

# youth



**CFX 2E**



**CFX 5E**



**CFORCE 110 SE**



**CFORCE 110 EV**

<b>Engine Type</b>	48V, 1kW electric motor (max output 1.6kW)	44V, 2kW electric motor (max output 4kW)	Single-cylinder, four-stroke	44V, 1500W electric motor (max output 4500W)
<b>Displacement</b>	Equivalent power to a petrol 50cc	Equivalent power to a petrol 110cc	110cc	Equivalent power to a petrol 110cc
<b>Fuel System/Battery</b>	48V24Ah, lithium battery	48V52Ah, lithium battery	EFI	44V, 53Ah, 2400Wh. Lithium-Ion. With BMS.
<b>Transmission</b>	Chain drive	Chain drive	2WD, chain drive	2WD, chain drive
<b>Drive</b>	3 power modes + beginner mode	3 power modes, beginner mode + reverse	F-N-R	F-N-R
<b>Start</b>	-	-	Electric	-
<b>Suspension</b>	FRONT: 31mm telescopic fork, 72mm of travel REAR: single shock, 65mm of travel	FRONT: 31mm telescopic fork, 105mm of travel REAR: single shock, 100mm of travel	FRONT: Double A-arm, independent REAR: Mono mid-placed shock absorber	FRONT: Double A-arm, independent REAR: Mono mid-placed shock absorber
<b>Brakes</b>	Hydraulic disc	Hydraulic disc	Hydraulic disc	Hydraulic disc
<b>Wheels</b>	Spoked rim / 10 inch	Spoked rim / 14/12 inch	Steel	Steel
<b>Tyres</b>	2.5/10	Front:70/100-14 Rear: 80/100-12	Front: AT 19 x 6-10, Rear: AT 18 x 9.5-8	Front: AT 19 x 6-10, Rear: AT 18 x 8.5-8
<b>L x W x H</b>	1,330 x 610 x 789mm	1,555 x 665 x 958mm	1,483 x 943 x 925mm	1,500 x 935 x 950mm
<b>Wheelbase</b>	952mm	1,066mm	1,020mm	1,020mm
<b>Ground Clearance</b>	152mm	210mm	110mm	120mm
<b>Weight</b>	49kg	66kg	130kg (wet)	130kg
<b>Fuel Capacity/Range</b>	80min run time / 60km	160min run time / 100km	6.4 L	3+ hours run time / 60km
<b>Person</b>	1	1	1	1
<b>Recommended Age</b>	6-10 years of age	10 years of age	10 years of age	10 years of age
<b>Seat Height</b>	550mm	678mm	685mm	685mm
<b>CFMOTO Youth App</b>				Geo-fence, vehicle status
<b>Colour</b>	Zephyr Blue	Zephyr Blue	Baja Blue	Polar White / Lemon Green or Polar White / Lava Orange
<b>Warranty</b>	12 month	12 month	2 year	2 year

Specification



# CFMOTO

*experience more together*

[www.cfmoto.com.au](http://www.cfmoto.com.au)

Across the CFMOTO Australia lineup, you'll find a comprehensive range of purpose-built work vehicles engineered to deliver unwavering performance day after day. Each model blends rugged durability with advanced features and intelligent design, all underpinned by the exceptional value CFMOTO has become renowned for. If you're ready to elevate your capability on the land or on the job, take the next step and speak with your local CFMOTO dealer — and discover how CFMOTO can truly enhance the way you work.